



Chief Psychiatrist of Western Australia

Seclusion Data

2016-2021

The rates of seclusion occurring in authorised mental health services in Western Australian (WA) during the 2016/17, 2017/18, 2018/19, 2019/2020, and 2020/2021 financial year (FY) are shown in Figures 1 - 6.

It is important to note that the variability in the rates of seclusion between hospitals may be due to a variety of factors such as the acuity of the patient population. A very small number of acutely unwell patients with challenging behaviours at a service can have a disproportionate effect on the rates of seclusion. The Chief Psychiatrist consults with the relevant mental health services about their practices and strategies for reducing the use of restrictive practices in these complex cases and is confident that the services are providing high quality care.



Figure 1: Rate of Seclusion- North Metropolitan Health Service (NMHS)






Figure 2: Rate of Seclusion- East Metropolitan Health Service (EMHS)




Figure 3: Rate of Seclusion- South Metropolitan Health Service (SMHS)




Figure 4: Rate of Seclusion- WA Country Health Service (WACHS)



2016-2021 Seclusion Event Rate Per 1000 Bed Days -WACHS






Figure 5: Rate of Seclusion- Public Private Hospitals







Figure 6: Rate of Seclusion- State Forensic Service and Child and Adolescent Health Service (CAHS)*



*Bentley Adolescent Unit closed after the 2017-2018 FY